MINICONT®

according to Regulation (EC) No 1907/2006 Revision date: 01.04.2019 - Page 1 of 9



SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

MINICONT®

Product code:

CC166M30, CC166M30S, CC166N30, CC146M30, CC146N30

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Cleaning agent: Pre-saturated cleaning wipers, cleaning of materials and surfaces, wiping cleaning of cleanroom equipment

| -1 / | Emorronov tolonhono numboru | . 40 6121 10240 Cittinformationazontrala | | |
|------|---|--|--|--|
| | Contact person: | Christian Wendt | | |
| | Telefax: | +49 451 38950- 20 | | |
| | Telephone: | +49 451 38950- 0 | | |
| | Place: | D-23568 Lübeck | | |
| | Street: | Niels-Bohr-Ring 36 | | |
| | Company name: | Clear & Clean Werk für Reintechnik GmbH | | |
| 1.3 | 1.3. Details of the supplier of the safety data sheet | | | |
| | | | | |

1.4. Emergency telephone number: +49 6131 19240 Giftinformationszentrale, Langenbeckstraße 1, 55131 Mainz

SECTION 2: Hazards identification

| 2.1. Classification of the substance or mixture | | |
|---|--|--|
| Regulation (EC) No. 1272/2008 | | |
| Hazard categories: | | |
| Flammable liquid: Flam. Liq. 2 | | |
| Serious eye damage/eye irritation: Eye Irrit. 2 | | |
| Specific target organ toxicity - single exposure: STOT SE 3 | | |
| Hazard Statements: | | |
| Highly flammable liquid and vapour. | | |
| Causes serious eye irritation. | | |
| May cause drowsiness or dizziness. | | |
| 2.1. Label elements | | |
| Regulation (EC) No. 1272/2008 | | |
| Hazard components for labelling | | |
| propan-2-ol; isopropyl alcohol; isopropanol | | |

Signal word: Danger

Pictograms:

Hazard statementsH225Highly flammable liquid and vapour.H319Causes serious eye irritation.H336May cause drowsiness or dizziness.Precautionary statementsP101If medical advice is needed, have product container or label at hand.P102Keep out of reach of children.P210Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

MINICONT®

according to Regulation (EC) No 1907/2006 Revision date: 01.04.2019 - Page 2 of 9



Precautionary statements

| P370 + P378 | In case of fire: Use Foam; Carbon dioxide (CO2), Dry extinguishing powder to extinguish. |
|-------------|--|
| P403 + P235 | Store in a well-ventilated place. Keep cool. |
| P501 | Dispose of waste according to applicable legislation. |

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Saturated polyester knit material

Contains: propan-2-ol; isopropyl alcohol; isopropanol, in aqueous solution

Hazardous components

| CAS No | Chemical name | | | Quantity |
|---------|--------------------|-----------------------------|------------------|----------|
| | EC No | Index No | REACH No | |
| | GHS Classification | n | | |
| 67-63-0 | propan-2-ol; isop | ropyl alcohol; isopropanol | | 30% |
| | 200-661-7 | 603-117-00-0 | 01-2119457558-25 | |
| | Flam. Liq. 2, Eye | Irrit. 2, STOT SE 3; H225 I | H319 H336 | |

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

After contact with skin

Wash with plenty of water. Take off contaminated clothing and wash it before reuse.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Observe risk of aspiration if vomiting occurs. Immediately call a doctor.

4.2. Most important symptoms and effects, both acute and delayed

May cause irritation. Headache, Dizziness, Drowsiness, Anaesthetic state, Unconsciousness Has degreasing effect on the skin.

4.3. Indication of any immediate medical attention and special treatment needed Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2), Foam, Extinguishing powder. Co-ordinate fire-fighting measures to the fire surroundings.

Unsuitable extinguishing media

No information available.

MINICONT®

according to Regulation (EC) No 1907/2006 Revision date: 01.04.2019 - Page 3 of 9



5.2. Special hazards arising from the substance or mixture

Highly flammable. Vapours can form explosive mixtures with air. The vapour of the product is heavier than air and may accumulate below ground level, in pits, channels and basements in higher concentration.

In case of fire may be liberated: Carbon dioxide (CO2), Carbon monoxide.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protective suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment. Danger of explosion

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use only in well-ventilated areas. Do not breathe gas/fumes/vapour/spray.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

Do not store together with: Oxidizing agent, Strong acid, Pyrophoric or self-heating substances.

Keep away from food, drink and animal feedingstuffs

Further information on storage conditions

Protect against direct sunlight.

7.3. Specific end use(s)

Cleaning agent

MINICONT®

according to Regulation (EC) No 1907/2006 Revision date: 01.04.2019 - Page 4 of 9



SECTION 8: Exposure controls/personal protection

8.1. Control parameters Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m³ | fibres/ml | Category | Origin |
|---------|-------------|-----|-------|-----------|---------------|--------|
| 67-63-0 | Propan-2-ol | 400 | 999 | | TWA (8 h) | WEL |
| | | 500 | 1250 | | STEL (15 min) | WEL |

8.2. Exposure controls



Appropriate engineering controls

Provide adequate ventilation as well as local exhaustion at critical locations.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Do not breathe gas/fumes/vapour/spray. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Suitable eye protection: Tightly sealed safety glasses.

Hand protection

By long-term hand contact:

Suitable material: NBR (Nitrile rubber)

Thickness of the glove material: 0.40 mm

Breakthrough time (maximum wearing time): > 480 min

By short-term hand contact:

Suitable material:CR (polychloroprene, chloroprene rubber)

Thickness of the glove material: 0.65 mm

Breakthrough time (maximum wearing time): > 120 min

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Flame-retardant protective clothing. Wear anti-static footwear and clothing

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Environmental exposure controls

Avoid release to the environment.

MINICONT®

according to Regulation (EC) No 1907/2006 Revision date: 01.04.2019 - Page 5 of 9



| CTION 9: Physical and chemical properties | |
|---|--------------------------------------|
| I. Information on basic physical and chemical p | properties |
| Physical state: | liquid |
| Colour: | colourless |
| Odour: | like: Alcohol |
| pH-Value: | not determined |
| Changes in the physical state | |
| Melting point: | not determined |
| Initial boiling point and boiling range: | not determined |
| Flammpunkt: | (Isopropanol) 12 ° C |
| Flammability | |
| Solid: | not applicable |
| Gas: | not applicable |
| Explosive properties | |
| Vapours can form explosive mixtures with air. | |
| Lower explosion limits: | (Isopropanol) 2 vol. % |
| Upper explosion limits: | not determined |
| Ignition temperature: | (Isopropanol) 425 ° C |
| Auto-ignition temperature | |
| Solid: | not applicable |
| Gas: | not applicable |
| Decomposition temperature: | not determined |
| Oxidizing properties | |
| Not oxidising. | |
| Vapour pressure:(at 20 ° C): | (Isopropanol) 43 hPa |
| Density (at 20 ° C): | (Isopropanol) 0.87 g/cm ³ |
| Water solubility: | completely miscible |
| Solubility in other solvents | |
| not determined | |
| Partition coefficient: | not determined |
| Viscosity / dynamic: | not determined |
| Viscosity / kinematic: | not determined |
| Vapour density: | not determined |
| Evaporation rate: | not determined |
| Other information | |
| Odour threshold: | not determined |
| CTION 10: Stability and reactivity | |
| 1. Reactivity | |
| Highly flammable. | |
| 2. Chemical stability | |
| The product is stable under storage at normal a | mbient temperatures |
| 3. Possibility of hazardous reactions | |
| No known hazardous reactions. | |
| 4. Conditions to avoid | |

10.4. Conditions to avoid

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Vapours can form explosive mixtures with air.

MINICONT®

according to Regulation (EC) No 1907/2006 Revision date: 01.04.2019 - Page 6 of 9



10.5. Incompatible materials

Oxidizing agent, Strong acid

10.6. Hazardous decomposition products Carbon dioxide (CO2), Carbon monoxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Irritation and corrosivity

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness. (propan-2-ol; isopropyl alcohol; isopropanol)

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Practical experience

Other observations

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc. Has degreasing effect on the skin. Vapours may cause drowsiness and dizziness.

SECTION 12: Ecological information 12.1. Toxicity The product is not: Ecotoxic. 12.2. Persistence and degradability The product has not been tested. 12.3. Bioaccumulative potential The product has not been tested 12.4. Mobility in soil The product has not been tested. 12.5. Results of PBT and vPvB assessment The product has not been tested. 12.6. Other adverse effects No information available.

Further information

Avoid release to the environment.

MINICONT®

13.1. Waste treatment methods

SECTION 13: Disposal considerations

according to Regulation (EC) No 1907/2006 Revision date: 01.04.2019 - Page 7 of 9



| Advice on disposal | |
|---|--|
| Do not allow to enter into surface water or | drains. Dispose of waste according to applicable legislation. |
| Contaminated packaging | |
| Wash with plenty of water. Completely emp | otied packages can be recycled. |
| | |
| SECTION 14: Transport information | |
| Land transport (ADR/RID | |
| 14.1. UN number: | UN 3175 |
| 14.2. UN proper shipping name: | SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (2-Propanol; Isopropylalkohol; Isopropanol) |
| 14.3. Transport hazard class(es): | 4.1 |
| 14.4. Packing group: | II |
| Hazard label: | 4.1 |
| | |
| | |
| Classification code: | F1 |
| Special Provisions: | 216 274 601 |
| Limited quantity: | 1 kg |
| Excepted quantity: | E2 |
| Transport category: | 2 |
| Hazard No: | 40 |
| Tunnel restriction code: | E |
| Inland waterways transport (ADN) | |
| 14.1. UN number: | UN 3175 |
| 14.2. UN proper shipping name: | SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (2-Propanol; Isopropylalkohol; Isopropanol) |
| 14.3. Transport hazard class(es): | 4.1 |
| 14.4. Packing group: | II |
| Hazard label: | 4.1 |
| | |
| | |
| Classification code: | F1 |
| Special Provisions: | 216 274 601 800 |
| Limited quantity: | 1 kg |
| Excepted quantity: | E2 |
| Marine transport (IMDG) | |
| 14.1. UN number: | UN 3175 |
| 14.2. UN proper shipping name: | SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (2-Propanol; Isopropylalkohol; Isopropanol) |
| 14.3. Transport hazard class(es): | 4.1 |

MINICONT®

according to Regulation (EC) No 1907/2006 Revision date: 01.04.2019 - Page 8 of 9



| 14.4. Packing group: | II |
|---|---|
| Hazard label: | 4.1 |
| | |
| | |
| Special Provisions: | 216, 274 |
| Limited quantity: | 1 kg |
| Excepted quantity: | E2 |
| EmS: | F-A, S-I |
| Air transport (ICAO-TI/IATA-DGR) | |
| 14.1. UN number: | UN 3175 |
| 14.2. UN proper shipping name: | SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. |
| | (2-Propanol; Isopropylalkohol; Isopropanol) |
| 14.3. Transport hazard class(es): | 4.1 |
| 14.4. Packing group: | II |
| Hazard label: | 4.1 |
| | |
| | |
| Special Provisions | A46 |
| Limited quantity Passenger: | 5 kg |
| Passenger LQ: | Y441 |
| Excepted quantity: | E2 |
| IATA-packing instructions - Passenger: | 445 |
| IATA-max. quantity - Passenger: | 15 kg |
| IATA-packing instructions - Cargo: | 448 |
| IATA-max. quantity - Cargo: | 50 kg |
| 14.5. Environmental hazards | |
| ENVIRONMENTALLY HAZARDOUS: | no |
| 14.6. Special precautions for user | |
| No information available. | |
| 14.7. Transport in bulk according to Annex II of Ma | arpol and the IBC Code |
| not applicable | |
| Other applicable information | |
| Transport as "limited quantity" according to cha | pter 3.4 ADR/RID |
| | |
| SECTION 15: Regulatory information | |
| | s/legislation specific for the substance or mixture |
| EU regulatory information | • |
| Restrictions on use (REACH, annex XVII): | |
| Entry 3: propan-2-ol; isopropyl alcohol; isopropar | lor |
| Entry 40: 2-Propanol; Isopropylalkohol; Isopropa | |
| 2010/75/EU (VOC): | 30% |
| \ / | |

Information according to 2012/18/EU (SEVESO III):

30% P5c FLAMMABLE LIQUIDS

MINICONT®

according to Regulation (EC) No 1907/2006 Revision date: 01.04.2019 - Page 9 of 9



| Additional information | | |
|---|---|--|
| To follow: Regulation (EC) No. 648/2004 (I | Detergents regulation) | |
| National regulatory information | | |
| Employment restrictions: | Observe restrictions to employment for juvenils according to the ,juvenile work protection guideline' (94/33/EC). | |
| Water contaminating class (D): | 1 - slightly water contaminating | |
| 15.2. Chemical safety assessment | | |
| Chemical safety assessments for substance | ces in this mixture were not carried out. | |
| | | |
| SECTION 16: Other information | | |
| Abbreviations and acronyms | | |
| ADR: Accord européen sur le transport de | s marchandises dangereuses par Route | |
| (European Agreement concerning the Inte | rnational Carriage of Dangerous Goods by Road) | |
| IMDG: International Maritime Code for Dat | ngerous Goods | |
| IATA: International Air Transport Association | on and a second s | |

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

| Classification | Classification procedure |
|--------------------|--------------------------|
| Flam. Liq. 2; H225 | On basis of test data |
| Eye Irrit. 2; H319 | Calculation method |
| STOT SE 3; H336 | Calculation method |

| Relevant H and EUH statements (number and full text) | |
|--|-------------------------------------|
| H225 | Highly flammable liquid and vapour. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| | |

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singulary responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)

| verified by: | DiplIng. Christian Wendt |
|----------------|--------------------------------|
| authorized by: | Yuko Labuda (Geschäftsleitung) |